

### **OWNER'S MANUAL**

## 9" DELUXE REVERSIBLE TWIN WINDOW FAN W/REMOTE

### **ITEM NO.: MG-MTJM08**



110~120V 60Hz 70W



### PLEASE READ AND SAVE THESE IMPORTANT INSTRUCTIONS.

This fan is for residential use only. It is not intended to be used in commercial or industrial settings.



Read and save these important safety instructions before using this fan. When using electrical appliances basic safety pre-cautions should always be followed including

#### the following.

# 

- 1. To reduce the risk of fire or electrical shock, do not use this product with any solid state speed control device.to reduce the risk of fire or electric shock and injury to persons.do not use in a window.
- 2. This product employs overload protection(fuse) blown fuse indicates an overload short cut situation. If the fuse blows, unplug the product from the outlet. Replace the fuse as per the user servicing instructions (follow marking for proper fuse rating) and check the product. If the replace fuse blows, a short-circuit may be present and the product should be discarded or sent to a qualified facility for examination and/or repair.
- 3. USE this fan only as described in this manual. Other uses not recommended may cause fire or electric shock.
- 4. This product is intended for HOUSEHOLD USE ONLY and not for recommended may cause fire or electric shock.
- 5. To protect against electrical shock, do not place fan in window, plug or cord in water, or spray with liquids.
- 6. Unplug the fan from the outlet when not in use, when moving fan from one location to another and before cleaning.
- 7. Do not operate the fan in the presence of explosive and/or flammable fumes.
- 8. Do not place the fan or any parts near an open flame. cooking or other heating appliance.
- 9. Avoid contact with moving fan parts.
- 10. To disconnect, grip the plug and pull it from the wall outlet Never yank the cord.
- 11. The use of attachments is not recommended may cause hazards.
- 12. Always use on a dry, level surface.
- 13. Do not operate if the fan housing is removed or damaged.
- 14. Do not operate any fan with a damaged cord or plug. Discard fan or send to a qualified service facility for examination and/or repair.
- 15. Do not run cord under carpeting. Do not cover cord with throw rugs, runners, or similar coverings. Do not route cord under furniture or appliances. Arrange cord away from traffic area and where it will not be tripped over.
- 16. The appliance is not to be used by children or persons with reduced physical, sensory

or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction.

17. Close supervision is necessary when any appliance is used by or near children. Children should not play with the appliance.

### THIS PRODUCT IS EQUIPPED WITH A POLARIZED PLUG

(a plug having one blade wider than the other). To reduce the risk of electric shock, this plug is intended to fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician.

DO NOT OVERRIDE THE SAFETY PURPOSE OF THIS POLARIZED PLUG



## PREPARATION

Before beginning installation of product, make sure all parts are present. Compare parts with package contents list and hard-ware contents list. If any part is missing or damaged, do not attempt to assemble, install or operate the product.

## **USER SERVICING INSTRUCTIONS**

Grasp plug and remove from the receptacle or other outlet device. Do not unplug by pulling on cord.


(A) Open fuse which is covered by sliding access cover on top of attachment plug toward plug blades.

(B) Remove fuse carefully by gently pulling out the ends of the fuse from the receptacle.

Risk of fire. Replace fuse only with 2.5 amp,125volt fuse.


(C)Install replacement fuse by first placing the end of the fuse receptacle which is opposite of the blades of the plug, then carefully push in the other end. Only push against the metal end of the fuse, not the glass center portion.


(D)Close fuse cover by sliding the cover back into the plug until it is completely closed and latches .



Risk of fire, do not replace attachment plug. Contains a safety device (fuse) that should not be removed.

Discard product if the attachment plug is damaged.





- 4. Function
- 5. Low
- 6. Medium
- 7. High
- 8. Exhaust
- 9. Circulate

# **OPERATION INSTRUCTIONS**

### Intended Use

This product is intended for indoor residential and office use only, not for industrial or other commercial applications. Use only with electrical wiring that is in good working order and that meets applicable codes and ordinances. If you have any questions about whether your wiring is adequate, consult a qualified electrician.

### **Control Panel Functions**

Cool-Brings fresh air in from outside. Exhaust-Removes stale air from the room. Circulate-Operate fans in opposing directions to circulate air. On-Turns the fan on. Off-turns the fan off. Low-low fan speed. Medium-Medium fan speed. High-High fan speed.

## Fan operation

Always operate the fan in the upright position following all instruction and recommendations listed in this manual.

Plug the fan directly into a 120V AC,60Hz wall outlet. Be sure the plug fits tightly into the outlet. A loose connection may cause overheating and damage to the plug or fan. NOTE: To prevent overheating a circuit, do not plug the fan into a circuit that is servicing other electrical needs.

## Fan Location

Place the fan in the area of the room that will provide proper fan cooling. This fan can be placed in a window to provide additional air from outside. In this location, the fan can also be used to push inside air outwards using Exhaust mode. Additionally, Circulation mode allows one fan to pull air in from outside, while a second fan pushed air from indoors outwards.

### **ASSEMBLY INSTRUCTIONS**

- 1. Locate the slot on the base of the fan.
- 2. Align screw holes of base leg and fan and attach base leg.
- 3. Ensure the base leg is snapped in and secured in the slot.
- 4. Use supplied screws to secure the base leg to fan.
- 5. Repeat for opposite side.
- 6. Base legs should not be installed when secured inside a window.

### **Remote Control**

The remote control buttons mirror those on the fan's control panel.

### **Battery Replacement**

- 1. Remove the battery cover on the remote.
- 2. Insert two AAA batteries(not included) into the remote control, ensure that the polarities are correctly aligned.
- 3. Replace battery cover.

### CLEANING

- 1. Be sure to unplug the power cord from the outlet before cleaning.
- 2. Plastic parts should be cleaned with mild soap and a damp cloth or sponge. Do not
- submerge the unit to clean it. Thoroughly remove soap film with clean water.
- 3. Be sure not to get water or other liquid inside the fan motor.
- 4. Dry all parts completely before reassembling and reconnecting to a power source.

#### CUSTOMER ASSISTANCE

FOR IMMEDIATE CUSTOMER SERVICE, CALL: 1-855-463-3518 A CUSTOMER SERVICE REPRESENTATIVE WILL ASSIST YOU WITH ANY QUESTIONS REGARDING YOUR FAN. www.magnavox.com

MAGNAVOX and SMART. VERY SMART are registered trademarks of Koninklijke Philips N.V. and are used under license from Koninklijke Philips N.V.

Made in China Distributed by: OBO, Baltimore, MD